



K-LINE MOVE

MAKING USE OF CORNERS

K-LINE MOVE

MORE STORAGE SPACE
AND VISIBILITY



VALUE FOR MONEY

The entry-level corner product in accustomed high quality from Kesseböhmer.

LOAD-BEARING

Each tray has a load capacity of 18 kg.

HEIGHT ADJUSTMENT

Customised height adjustment possible during installation.


OPERATION

Accustomed smooth flow thanks to proven technology.

UNIVERSAL

Can be fixed to the post or false wall.






Two trays: greatest possible convenience!


Add another swing-out tray in the lower area of the unit to treat yourself to a little more convenience.

**Additional trays:
the unit height is the limit.**
Additional K-Line Move trays
can very quickly and easily
be installed in a taller base unit
or highboard.




Installation dimensions

Unit **without** post



mm	400	500
A	≥764	≥910
B	≥500	495
C	382-384	482-484
D	16-19	16-19
E	≥535	≥535


Unit **with** post



mm	400	500
A	≥764	≥ 910
B	≥500	≥ 500
C	362-368	462-468
D	16-19	16-19
E	≥535	≥535
F	50-65	50-65


Door width

400 mm



Example:
swings out to the right
(left-hand unit)

500 mm



Example:
swings out to the right
(left-hand unit)